

# The ideal system for safely disinfecting any surface!

## **Shipping Sector**

Passengers cabins, public living areas, bridge, navigation instrumentations...

- Cost-effective, powerful, quick, and easy-to-use... Simply the best surface disinfection system available.
- Certified to AFNOR standard NF T72-281. Destroys 99.999% of bacteria and 99.99% of viruses, including SARS-COV-2 (Covid-19) by 2 independent laboratories



#### **How UV works**

At a wavelength of 254 nanometres, UV-C inactivates micro-organisms (viruses, bacteria, algae, yeasts, moulds, etc.) by penetrating their DNA, thereby disrupting their metabolism until they are completely destroyed.

## **Advantages of BIO-SCAN®**

- Certified process with demonstrated efficacy against SARS-COV-2 (Covid-19)
- Ultra-rapid treatment time of just 4 to 10 seconds!
- Practical, ergonomic, easy-to-use-by-anyone concept
- No chemicals, side effects, or health hazards
- Economical: very reasonably priced, rapid return on investment
- Can treat all surfaces









	Number of lampes	Unit electrical power (W)	Dimensions I x L (mm)	Weight (kg)	Power supply (V)	Frequency (Hz)	Absorbed power (W)
BIO-SCAN® Light 233	2	33	110 × 430	1	110-240	50/60	66
BIO-SCAN® Light 255	2	55	110 × 702	1,5	110-240	50/60	110
BIO-SCAN® Light 455	4	55	210 x 702	3	110-240	50/60	220

### **Technical characteristics**

**BIO-SCAN®** Light Range

2-Years warranty

- Eradicates 99.999% of bacteria (5-log pathogen reduction) and 99.99% of viruses (4-log pathogen reduction)
- Contact time: 4 to 10 seconds!
- Can treat all surface types
- Very easy to handle by anyone
- The complete set comes in a thermoformed foam-lined carrying case and includes: the BIO-SCAN system<sup>®</sup>, the electrical box with timer, the different power cords, 1 protective mask, 1 pair of gloves (additional quantities optional)
- 1.5 m power cord from the plug to the electrical box included
- 3 m power cord from the electrical box to the device included. A total distance of 4.5 m from the wall plug (extension possible)
- Presence of a deflector to concentrate UV-C radiation intensity on the surface to be treated
- On/Off switch, adjustable handle
- Lamp life: 1,000 hours or 1 year (lamps specially designed for surface treatment, patented by BIO-UV Group)
- Designed and manufactured in France

